



36407/08-06-2026	OX I	NA I	1	4			NA I	NA I	1	16,3 0				NAI	200			200	100	50	326, 00				130	1.006, 00	1 4
35172/03-06-2026	OX I	NA I	1	9					3	16,6 0			0		500					150	332, 00					982,0 0	1 5
36183/05-06-2026	OX I	NA I	1	7			NA I			18,3 0					380		200				366, 00					946,0 0	1 6
35313/03-06-2026	OX I	NA I	1	9					1	18,8 0			0		500					50	376, 00					926,0 0	1 7
36427/08-06-2026	OX I	NA I	1	6			NA I			12,0 0					320		300			50	240, 00					910,0 0	1 8
35434/03-06-2026	OX I	NA I	1	7						18,2 0					380						364, 00					744,0 0	1 9
36124/05-06-2026	OX I	NA I	1	7	6				1	15,2 0					380					50	304, 00					734,0 0	2 0
36181/05-06-2026	OX I	NA I	1	4			NA I			15,4 0					200		200				308, 00					708,0 0	2 1
36057/05-06-2026	OX I	NA I	1	5						15,7 0			1		260						314, 00		7			581,0 0	2 2
36459/08-06-2026	OX I	NA I	1	7						10,0 0					380						200, 00					580,0 0	2 3
36159/05-06-2026	OX I	NA I	1	4						18,2 0					200						364, 00					564,0 0	2 4
36451/08-06-2026	OX I	NA I	1	4						17,1 0			0		200						342, 00					542,0 0	2 5
36467/08-06-2026	OX I	NA I	1		3				2	15,6 0						120			100		312, 00					532,0 0	2 6
36176/05-06-2026	OX I	NA I	1	4						15,8 0					200						316, 00					516,0 0	2 7
36241/05-06-2026	OX I	NA I	1						2	17,2 0									100		344, 00					444,0 0	2 8
36002/05-06-2026	OX I	NA I	1		1					17,9 0						40					358, 00					398,0 0	2 9
36364/08-06-2026	OX I	NA I	1							17,8 0											356, 00					356,0 0	3 0
36226/05-06-2026	OX I	NA I	1							17,7 0											354, 00					354,0 0	3 1
34421/29-05-2026	OX I	NA I	1							16,8 0											336, 00					336,0 0	3 2
35994/05-06-2026	OX I	NA I	1							12,4 0											248, 00					248,0 0	3 3
34412/29-05-2026	OX I	OX I	1	18			NA I			15,0 0					104 0		300				300, 00					1.640, 00	3 4
36359/08-06-2026	OX I	OX I	1	14					2	18,1 0					800				100		362, 00					1.262, 00	3 5
36708/08-06-2026	OX I	OX I	1				NA I		2	16,6 0				NA I			300		100		332, 00			200		932,0 0	3 6
36013/05-06-2026	OX I	OX I	1	7	0				2	19,5 0					380				100		390, 00					870,0 0	3 7
35950/05-06-2026	OX I	OX I	1		10			NA I		18,3 0						360		100			366, 00					826,0 0	3 8
35222/03-06-2026	OX I	OX I	1	5						19,6 0			0		260						392, 00					652,0 0	3 9
35663/04-06-2026	OX I	OX I	1				NA I			13,1 0							300				262, 00					562,0 0	4 0
35513/04-06-2026	OX I	OX I	1							18,0 0				NA I							360, 00			200		560,0 0	4 1
36053/05-06-2026	OX I	OX I	1		8					10,0 0	NA I					320					200, 00	25				545,0 0	4 2
34794/02-06-2026	OX I	OX I	1							18,6 0			0								372, 00					372,0 0	4 3
36504/08-06-2026	OX I	OX I	1						1	10,0 0									50		200, 00					250,0 0	4 4
34813/02-06-2026	OX I	OX I	1							10,0 0											200, 00					200,0 0	4 5

35811/04-06-2026	NA 	NA 	1							17,4 0											348, 00						348,0 0	4 6
37115/09-06-2026	NA 	OX 	1							19,2 0											384, 00						384,0 0	4 7
37121/09-06-2028	NA 	OX 	1							15,2 0											304, 00						304,0 0	4 8

Ιωάννινα, 25-06-2026

Το παρόν πρακτικό υπογράφεται από τα μέλη της Επιτροπής.

Η Πρόεδρος: Γιακαμόζη Κυριακή

Τα Μέλη: 1. Οικονόμου-Συρμακέση Θάλεια  
2. Ιωάννης Μάντζιος

Ο Δήμαρχος

Θωμάς Μπέγκας